

			P101																							
parametro	u.m.	limiti D.M. 471/99	20/05/05	31/05/05	15/06/05	30/06/05	15/07/05	01/08/05	17/08/05	12/10/05	20/10/05	14/11/05	01/12/05	20/12/05	23/01/06	23/02/06	30/03/06	27/04/06	31/05/06	29/06/06	01/08/06	30/08/06	29/09/06	31/10/06	29/11/06	09/01/07
arsenico	µg/L	10	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5
nichele	µg/L	20	< 10	< 10																						
selenio	µg/L	10	< 5	< 5																						
zinco	µg/L	3000	10	10																						
benzene	µg/L	1	< 1	<0.5	< 0.5	< 0.5	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	1	1	< 1	< 1
etilbenzene	µg/L	50	< 2	< 1	< 1	< 1	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
toluene	µg/L	15	< 2	< 1	< 1	< 1	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
xileni (miscela isomeri)	µg/L	10	< 2	< 1	< 1	< 1	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
monoclorobenzene	µg/L	40	7	< 5	35	5	< 5	< 5	< 5	< 5	10	8	10	5	10	5	10	5	< 5	15	10	5	5	< 5	< 5	< 5
1,2-diclorobenzene	µg/L	270	< 1	< 1	2	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	
1,4-diclorobenzene	µg/L	0.5	<0.5	<0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	
1,2,4-triclorobenzene	µg/L	190	< 1	< 1																						
1,2,4,5-tetraclorobenzene	µg/L	1.8	<0.5	<0.5																						
pentaclorobenzene	µg/L	5	<0.5	<0.5																						
esaclorobenzene	µg/L	0.01	<0.01	<0.01																						
triclorometano	µg/L	0.15	0.5	0.4	0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0.3	0.1	< 0.1	< 0.1	< 0.1	< 0.1	0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
tricloroetilene	µg/L	1.5	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
tetracloroetilene	µg/L	1.1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5

			P101																							
parametro	u.m.	limiti D.M. 471/99	27/02/07	29/03/07	02/05/07	30/05/07	28/06/07	26/07/07	30/08/07	02/10/07	30/10/07	04/12/07	10/01/08	27/02/08	27/03/08	29/04/08	29/05/08	01/07/08	24/07/08	28/08/08	30/09/08	28/10/08	03/12/08	08/01/09	10/02/09	03/03/09
arsenico	µg/L	10	< 5	<5	< 5	< 5	< 5	<5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5
niche	µg/L	20																								
selenio	µg/L	10																								
zinco	µg/L	3000																								
benzene	µg/L	1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
etilbenzene	µg/L	50	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
toluene	µg/L	15	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
xileni (miscela isomeri)	µg/L	10	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
monoclorobenzene	µg/L	40	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	5	5	5	5	5	5	4	4	4	4	3	3	4	4
1,2-diclorobenzene	µg/L	270	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,4-diclorobenzene	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2,4-triclorobenzene	µg/L	190																								
1,2,4,5-tetraclorobenzene	µg/L	1.8																								
pentaclorobenzene	µg/L	5																								
esaclorobenzene	µg/L	0.01																								
triclorometano	µg/L	0.15	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0.1	0.1
tricloroetilene	µg/L	1.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.7	0.5	1	0.5
tetracloroetilene	µg/L	1.1	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5

Analisi eseguita dopo decantazione degli eventuali sedimenti

[illegible][illegible]

Analisi eseguita dopo decantazione degli eventuali sedimenti

			P102																							
parametro	u.m.	limiti D.M. 471/99	02/05/05	20/05/05	15/06/05	30/06/05	15/07/05	01/08/05	17/08/05	12/10/05	20/10/05	14/11/05	01/12/05	20/12/05	23/01/06	23/02/06	30/03/06	27/04/06	31/05/06	29/06/06	01/08/06	30/08/06	29/09/06	31/10/06	29/11/06	09/01/07
arsenico	µg/L	10	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	5	5	6	5	7	5	5	7	6	5	5
nicel	µg/L	20	< 10	< 10																						
selenio	µg/L	10	< 5	< 5																						
zinco	µg/L	3000	< 10	< 10																						
benzene	µg/L	1	<0.5	<0.5	<0.5	<0.5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
etilbenzene	µg/L	50	< 2	< 1	< 1	< 1	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
toluene	µg/L	15	< 2	< 1	< 1	< 1	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
xileni ( miscela isomeri)	µg/L	10	< 2	< 1	< 1	< 1	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
monoclorobenzene	µg/L	40	6	< 5	15	< 5	< 5	5	< 5	20	18	20	25	20	35	25	35	30	30	30	30	20	30	30	30	25
1,2-diclorobenzene	µg/L	270	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	
1,4-diclorobenzene	µg/L	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-triclorobenzene	µg/L	190	< 1	< 1																						
1,2,4,5-tetraclorobenzene	µg/L	1.8	<0.5	<0.5																						
pentaclorobenzene	µg/L	5	<0.5	<0.5																						
esaclorobenzene	µg/L	0.01	<0.01	<0.01																						
triclorometano	µg/L	0.15		<0.1	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.3
tricloroetilene	µg/L	1.5	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	0.5	<0.5
tetracloroetilene	µg/L	1.1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

			P102																								
parametro	u.m.	limiti D.M. 471/99	27/02/07	29/03/07	02/05/07	30/05/07	28/06/07	26/07/07	30/08/07	02/10/07	30/10/07	04/12/07	10/01/08	27/02/08	27/03/08	29/04/08	29/05/08	01/07/08	24/07/08	28/08/08	30/09/08	28/10/08	03/12/08	08/01/09	10/02/09	03/03/09	
arsenico	µg/L	10	6	6	5	7	6	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	
nichele	µg/L	20																									
selenio	µg/L	10																									
zinco	µg/L	3000																									
benzene	µg/L	1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<0.5	0.5	0.5	<0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	
etilbenzene	µg/L	50	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
toluene	µg/L	15	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
xileni (miscela isomeri)	µg/L	10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
monoclorobenzene	µg/L	40	30	30	30	25	30	20	30	30	40	40	40	40	40	40	35	35	30	35	35	35	40	40	40	35	
1,2-diclorobenzene	µg/L	270	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
1,4-diclorobenzene	µg/L	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
1,2,4-triclorobenzene	µg/L	190																									
1,2,4,5-tetraclorobenzene	µg/L	1.8																									
pentaclorobenzene	µg/L	5																									
esaclorobenzene	µg/L	0.01																									
triclorometano	µg/L	0.15	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
tricloroetilene	µg/L	1.5	<0.5	<0.5	<0.5	0.5	0.5	<0.5	<0.5	<0.5	0.5	0.5	0.5	0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
tetracloroetilene	µg/L	1.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	

Analisi eseguita dopo decantazione degli eventuali sedimenti

			P102																							
parametro	u.m.	limiti D.M. 471/99	01/04/09	05/05/09	03/06/09	29/06/09	30/07/09	01/09/09	30/09/09	04/11/09	09/12/09	11/01/10	02/02/10	04/03/10	07/04/10	29/04/10	03/06/10	01/07/10	10/08/10	02/09/10	06/10/10	04/11/10	09/12/10	13/01/11	24/02/11	29/03/11
arsenico	µg/L	10	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
nicel	µg/L	20																								
selenio	µg/L	10																								
zinco	µg/L	3000																								
benzene	µg/L	1	0.5	0.5	0.5	0.5	0.5	1	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	< 0.5	< 0.5	< 0.5	0.5	0.5	0.5	< 0.5	0.4	0.3	0.3
etilbenzene	µg/L	50	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
toluene	µg/L	15	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
xileni (miscela isomeri)	µg/L	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
monoclorobenzene	µg/L	40	35	40	38	35	42	42	40	30	35	35	33	30	30	27	15	45	25	23	20	18	28	28	27	25
1,2-diclorobenzene	µg/L	270	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,4-diclorobenzene	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2,4-triclorobenzene	µg/L	190																								
1,2,4,5-tetraclorobenzene	µg/L	1.8																								
pentaclorobenzene	µg/L	5																								
esaclorobenzene	µg/L	0.01																								
triclorometano	µg/L	0.15	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
tricloroetilene	µg/L	1.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	< 0.5	0.5	0.5	0.5	< 0.5	0.3	0.3	0.3
tetracloroetilene	µg/L	1.1	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.1	< 0.1	< 0.1

			P102																							
parametro	u.m.	limiti D.M. 471/99	26/04/11	17/05/11	31/05/11	14/06/11	29/06/11	14/07/11	28/07/11	06/09/11	29/09/11	09/11/11	06/12/11	12/01/12												
arsenico	µg/L	10	< 1		< 1		< 1		< 1	< 1	< 1	< 1	< 1	< 1												
nicel	µg/L	20																								
selenio	µg/L	10																								
zinco	µg/L	3000																								
benzene	µg/L	1	0.3		< 0.1		< 0.1		0.2	0.3	0.3	0.2	0.1	< 0.1												
etilbenzene	µg/L	50	< 1		< 1		< 1		< 1	< 1	< 1	< 1	< 1	< 1												
toluene	µg/L	15	< 1		< 1		< 1		< 1	< 1	< 1	< 1	< 1	< 1												
xileni (miscela isomeri)	µg/L	10	< 1		< 1		< 1		< 1	< 1	< 1	< 1	< 1	< 1												
monoclorobenzene	µg/L	40	22	24	20	22	21	22	18	19	20	18	20	20												
1,2-diclorobenzene	µg/L	270	< 1		< 1		< 1		< 1	< 1	< 1	< 1	< 1	< 1												
1,4-diclorobenzene	µg/L	0.5	< 0.5		< 0.5		< 0.5		< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5												
1,2,4-triclorobenzene	µg/L	190																								
1,2,4,5-tetraclorobenzene	µg/L	1.8																								
pentaclorobenzene	µg/L	5																								
esaclorobenzene	µg/L	0.01																								
triclorometano	µg/L	0.15	< 0.1		< 0.1		< 0.1		< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1												
tricloroetilene	µg/L	1.5	0.3		0.3		0.2		0.2	0.3	0.2	0.3	0.2	0.2												
tetracloroetilene	µg/L	1.1	< 0.1		< 0.1		< 0.1		< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1												

Analisi eseguita dopo decantazione degli eventuali sedimenti

			P103																							
parametro	u.m.	limiti D.M. 471/99	02/05/05	31/05/05	15/06/05	30/06/05	15/07/05	01/08/05	17/08/05	12/10/05	20/10/05	14/11/05	01/12/05	20/12/05	23/01/06	23/02/06	30/03/06	27/04/06	31/05/06	29/06/06	01/08/06	30/08/06	29/09/06	31/10/06	29/11/06	09/01/07
arsenico	µg/L	10	5	< 5	7	9	8	7	8	7	6	8	7	6	6	8	8	14	9	8	8	6	5	7	6	8
nichele	µg/L	20	< 10	< 10																						
selenio	µg/L	10	< 5	< 5																						
zinco	µg/L	3000	< 10	< 10																						
benzene	µg/L	1	<0.5	<0.5	<0.5	<0.5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
etilbenzene	µg/L	50	<2	<1	<1	<1	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	
toluene	µg/L	15	<2	<1	<1	<1	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	
xileni (miscela isomeri)	µg/L	10	<2	<1	<1	<1	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	
monoclorobenzene	µg/L	40	10	<5	30	5	5	<5	5	<5	20	16	25	18	15	<5	10	10	10	10	10	10	10	5	5	
1,2-diclorobenzene	µg/L	270	<1	<1	2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
1,4-diclorobenzene	µg/L	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
1,2,4-triclorobenzene	µg/L	190	<1	<1																						
1,2,4,5-tetraclorobenzene	µg/L	1.8	<0.5	<0.5																						
pentaclorobenzene	µg/L	5	<0.5	<0.5																						
esaclorobenzene	µg/L	0.01	<0.01	<0.01																						
triclorometano	µg/L	0.15		<0.1	0.2	<0.1	<0.1	<0.1	<0.1	<0.1	0.2	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
tricloroetilene	µg/L	1.5	1	<1	<1	<1	<1	<1	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	0.5	0.5	
tetracloroetilene	µg/L	1.1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
			P103																							
parametro	u.m.	limiti D.M. 471/99	27/02/07	29/03/07	02/05/07	30/05/07	28/06/07	26/07/07	30/08/07	02/10/07	30/10/07	04/12/07	10/01/08	27/02/08	27/03/08	29/04/08	29/05/08	01/07/08	24/07/08	28/08/08	30/09/08	28/10/08	03/12/08	08/01/09	10/02/09	03/03/09
arsenico	µg/L	10	6	5	5	6	<5	<5	<5	5	6	5	5	6	5	7	5	<5	<5	5	<5	<5	<5	7	5	6
nichele	µg/L	20																								
selenio	µg/L	10																								
zinco	µg/L	3000																								
benzene	µg/L	1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
etilbenzene	µg/L	50	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
toluene	µg/L	15	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
xileni (miscela isomeri)	µg/L	10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
monoclorobenzene	µg/L	40	5	5	5	5	5	<5	<5	<5	<5	<5	<5	<5	5	4	4	4	4	4	5	5	5	3	4	4
1,2-diclorobenzene	µg/L	270	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
1,4-diclorobenzene	µg/L	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
1,2,4-triclorobenzene	µg/L	190																								
1,2,4,5-tetraclorobenzene	µg/L	1.8																								
pentaclorobenzene	µg/L	5																								
esaclorobenzene	µg/L	0.01																								
triclorometano	µg/L	0.15	<0.1	<0.1	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
tricloroetilene	µg/L	1.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
tetracloroetilene	µg/L	1.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	

Analisi eseguita dopo decantazione degli eventuali sedimenti

			P103																								
parametro	u.m.	limiti D.M. 471/99	01/04/09	05/05/09	03/06/09	29/06/09	30/07/09	01/09/09	30/09/09	04/11/09	09/12/09	11/01/10	02/02/10	04/03/10	07/04/10	29/04/10	03/06/10	01/07/10	10/08/10	02/09/10	06/10/10	04/11/10	09/12/10	13/01/11	24/02/11	29/03/11	
arsenico	µg/L	10	5	<5	5	5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
nicel	µg/L	20																									
selenio	µg/L	10																									
zinco	µg/L	3000																									
benzene	µg/L	1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0,1	<0.1	
etilbenzene	µg/L	50	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
toluene	µg/L	15	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
xileni (miscela isomeri)	µg/L	10	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
monoclorobenzene	µg/L	40	3	5	4	3	4	5	5	3	3	3	3	3	3	3	3	3	4	3	3	4	4	3	3	3	
1,2-diclorobenzene	µg/L	270	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
1,4-diclorobenzene	µg/L	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
1,2,4-triclorobenzene	µg/L	190																									
1,2,4,5-tetraclorobenzene	µg/L	1.8																									
pentaclorobenzene	µg/L	5																									
esaclorobenzene	µg/L	0.01																									
triclorometano	µg/L	0.15	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
tricloroetilene	µg/L	1.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.2	0.2	0.2
tetracloroetilene	µg/L	1.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	

			P103																								
parametro	u.m.	limiti D.M. 471/99	26/04/11	31/05/11	29/06/11	28/07/11	06/09/11	29/09/11	09/11/11	06/12/11	12/01/12																
arsenico	µg/L	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1																
nicel	µg/L	20																									
selenio	µg/L	10																									
zinco	µg/L	3000																									
benzene	µg/L	1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1																
etilbenzene	µg/L	50	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1																
toluene	µg/L	15	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1																
xileni (miscela isomeri)	µg/L	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1																
monoclorobenzene	µg/L	40	2	4	2	2	4	<2	<2	<2	2																
1,2-diclorobenzene	µg/L	270	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1																
1,4-diclorobenzene	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5																
1,2,4-triclorobenzene	µg/L	190																									
1,2,4,5-tetraclorobenzene	µg/L	1.8																									
pentaclorobenzene	µg/L	5																									
esaclorobenzene	µg/L	0.01																									
triclorometano	µg/L	0.15	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1																
tricloroetilene	µg/L	1.5	0.3	0.3	0.2	0.2	0.2	< 0.1	< 0.1	< 0.1	0.2																
tetracloroetilene	µg/L	1.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1																

Analisi eseguita dopo decantazione degli eventuali sedimenti

			P104																							
parametro	u.m.	limiti D.M. 471/99	31/05/05	15/06/05	30/06/05	15/07/05	01/08/05	17/08/05	12/10/05	20/10/05	14/11/05	01/12/05	20/12/05	23/01/06	02/02/06	23/02/06	30/03/06	27/04/06	31/05/06	29/06/06	19/07/06	01/08/06	30/08/06	29/09/06	31/10/06	29/11/06
arsenico	µg/L	10	< 5	< 5	< 5	< 5	6	5	6	5	5	6	5	30		22	65	15	10	8		11	8	9	8	6
nicel	µg/L	20	< 10																							
selenio	µg/L	10	< 5																							
zinco	µg/L	3000	< 10																							
benzene	µg/L	1	6	< 1	< 0.5	< 1	< 1	< 1	< 1	1	< 1	< 1	< 1	3	1	2	1	20	5	4		3	< 1	< 1	< 1	< 1
etilbenzene	µg/L	50	< 1	< 1	< 1	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2		< 2	< 2	< 2	< 2	
toluene	µg/L	15	< 1	< 1	< 1	< 1	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	2	10	5		10	< 2	< 2	< 2	
xileni (miscela isomeri)	µg/L	10	< 1	< 1	< 1	< 1	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2		< 2	< 2	< 2	< 2	
monoclorobenzene	µg/L	40	640	50	18	< 5	< 5	< 5	10	10	< 5	< 5	20	125	25	30	40	900	200	70		25	15	5	< 5	< 5
1,2-diclorobenzene	µg/L	270	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1		< 1	< 1	< 1	< 1	
1,4-diclorobenzene	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5		< 0.5	< 0.5	< 0.5	< 0.5	
1,2,4-triclorobenzene	µg/L	190	< 1	< 1																						
1,2,4,5-tetraclorobenzene	µg/L	1.8	< 0.5	< 0.5																						
pentaclorobenzene	µg/L	5	< 0.5	< 0.5																						
esaclorobenzene	µg/L	0.01	< 0.01	< 0.01																						
triclorometano	µg/L	0.15	0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0.4	2100	1000	700	400	250	120	10
tricloroetilene	µg/L	1.5	1	2	2	1	2	1	2	1	2	3	3	2	2	4	1	2	0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
tetracloroetilene	µg/L	1.1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	9	< 0.5	0.6	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	

			P104																							
parametro	u.m.	limiti D.M. 471/99	09/01/07	27/02/07	29/03/07	02/05/07	30/05/07	28/06/07	26/07/07	30/08/07	02/10/07	30/10/07	04/12/07	10/01/08	27/02/08	27/03/08	29/04/08	29/05/08	01/07/08	24/07/08	28/08/08	30/09/08	28/10/08	03/12/08	08/01/09	10/02/09
arsenico	µg/L	10	10	8	7	8	21	19	14	12	9	14	8	7	5	5	6	6	7	6	5	5	6	5	6	5
niche	µg/L	20																								
selenio	µg/L	10																								
zinco	µg/L	3000																								
benzene	µg/L	1	10	4	4	5	5	4	1	<1	<1	2	<1	<0.5	<0.5	<0.5	<0.5	<0.5	1.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
etilbenzene	µg/L	50	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
toluene	µg/L	15	5	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
xileni (miscela isomeri)	µg/L	10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
monoclorobenzene	µg/L	40	140	30	30	60	80	70	35	20	25	200	10	10	10	10	10	10	50	10	9	6	7	7	7	6
1,2-diclorobenzene	µg/L	270	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,4-diclorobenzene	µg/L	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-triclorobenzene	µg/L	190																								
1,2,4,5-tetraclorobenzene	µg/L	1.8																								
pentaclorobenzene	µg/L	5																								
esaclorobenzene	µg/L	0.01																								
triclorometano	µg/L	0.15	1	0.2	<0.1	2	<0.1	<0.1	6500	5300	<0.1	0.2	<0.1	<0.1	<0.1	<0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
tricloroetilene	µg/L	1.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1	3	2.5	3	2.5	2.5	2.5	3	2	2	2	2.5	2.5	2.5	3
tetracloroetilene	µg/L	1.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Analisi eseguita dopo decantazione degli eventuali sedimenti

			P104																							
parametro	u.m.	limiti D.M. 471/99	03/03/09	01/04/09	05/05/09	03/06/09	29/06/09	30/07/09	01/09/09	30/09/09	04/11/09	09/12/09	11/01/10	02/02/10	04/03/10	07/04/10	29/04/10	03/06/10	01/07/10	10/08/10	02/09/10	06/10/10	04/11/10	09/12/10	13/01/11	24/02/11
arsenico	µg/L	10	5	5	5	<5	5	6	5	<5	<5	<5	1	<1	<1	<1	<1	2	<1	<1	<1	<1	<1	<1	<1	<1
nicel	µg/L	20																								
selenio	µg/L	10																								
zinco	µg/L	3000																								
benzene	µg/L	1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1
etilbenzene	µg/L	50	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
toluene	µg/L	15	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	2	<1	<1	<1	<1	<1	<1	<1	<1
xileni (miscela isomeri)	µg/L	10	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
monoclorobenzene	µg/L	40	6	6	6	7	7	10	7	7	6	5	7	4	5	4	4	75	5	4	4	15	4	4	<2	4
1,2-diclorobenzene	µg/L	270	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
1,4-diclorobenzene	µg/L	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
1,2,4-triclorobenzene	µg/L	190																								
1,2,4,5-tetraclorobenzene	µg/L	1.8																								
pentaclorobenzene	µg/L	5																								
esaclorobenzene	µg/L	0.01																								
triclorometano	µg/L	0.15	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.2	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	11	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
tricloroetilene	µg/L	1.5	2.5	2	2	2	3	2.5	2.5	2.5	2.5	2	2.5	2	2.7	2.6	2.3	1.5	2	2	2	1	3	1.5	0.5	1.9
tetracloroetilene	µg/L	1.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	<0.1

			P104																							
parametro	u.m.	limiti D.M. 471/99	29/03/11	26/04/11	31/05/11	29/06/11	28/07/11	06/09/11	29/09/11	09/11/11	06/12/11	12/01/12														
arsenico	µg/L	10	<1	<1	<1	<1	<1	<1	<1	<1	<1	2														
nicel	µg/L	20																								
selenio	µg/L	10																								
zinco	µg/L	3000																								
benzene	µg/L	1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1														
etilbenzene	µg/L	50	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1														
toluene	µg/L	15	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1														
xileni (miscela isomeri)	µg/L	10	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1														
monoclorobenzene	µg/L	40	4	3	3	2	2	2	<2	7	<2	2														
1,2-diclorobenzene	µg/L	270	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1														
1,4-diclorobenzene	µg/L	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5														
1,2,4-triclorobenzene	µg/L	190																								
1,2,4,5-tetraclorobenzene	µg/L	1.8																								
pentaclorobenzene	µg/L	5																								
esaclorobenzene	µg/L	0.01																								
triclorometano	µg/L	0.15	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1														
tricloroetilene	µg/L	1.5	1.6	2.7	3.9	2.2	2.4	2.8	2.5	3	1.6	2.2														
tetracloroetilene	µg/L	1.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1														

Analisi eseguita dopo decantazione degli eventuali sedimenti



			P105																							
parametro	u.m.	limiti D.M. 471/99	01/03/06	30/03/06	27/04/06	31/05/06	29/06/06	01/08/06	30/08/06	29/09/06	31/10/06	29/11/06	09/01/07	02/02/07	27/02/07	29/03/07	02/05/07	30/05/07	28/06/07	26/07/07	30/08/07	02/10/07	30/10/07	04/12/07	10/01/08	27/02/08
arsenico	µg/L	10	6	5	5	5	6	7	7	5	<5	7	6	5	6	7	7	8	5	10	7	6	7	5	<5	
nicel	µg/L	20																								
selenio	µg/L	10																								
zinco	µg/L	3000																								
benzene	µg/L	1	1.4	<1	1	1	1	2	1	1	1	<1	1	1	1	1	1	2	2	1	1	1	1.5	1.5	1	0.5
etilbenzene	µg/L	50	1	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<1	<1	
toluene	µg/L	15	0.2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<1	<1	
xileni (miscela isomeri)	µg/L	10	0.5	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<1	<1	
monoclorobenzene	µg/L	40	83	75	45	70	65	85	90	80	75	35	80	80	70	80	85	70	65	70	65	65	75	90	55	20
1,2-diclorobenzene	µg/L	270	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
1,4-diclorobenzene	µg/L	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
1,2,4-triclorobenzene	µg/L	190																								
1,2,4,5-tetraclorobenzene	µg/L	1.8																								
pentaclorobenzene	µg/L	5																								
esaclorobenzene	µg/L	0.01																								
triclorometano	µg/L	0.15	<0.1	0.3	<0.1	<0.1	0.2	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
tricloroetilene	µg/L	1.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
tetracloroetilene	µg/L	1.1	<0.5	<0.5	<0.5	<0.5	<0.5	1	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	

			P105																							
parametro	u.m.	limiti D.M. 471/99	27/03/08	29/04/08	29/05/08	01/07/08	24/07/08	28/08/08	30/09/08	28/10/08	03/12/08	08/01/09	10/02/09	03/03/09	01/04/09	05/05/09	03/06/09	29/06/09	30/07/09	01/09/09	30/09/09	04/11/09	09/12/09	11/01/10	29/04/10	04/11/10
arsenico	µg/L	10	5	5	6	5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	6	5	<5	<5	<5	<5	<5	<1	<1	1
niche	µg/L	20																								
selenio	µg/L	10																								
zinco	µg/L	3000																								
benzene	µg/L	1	1.5	1.5	0.7	2	1.5	1.2	1	1.5	2	1.5	1.5	0.8	1.3	1.3	1.2	1	1	1.7	1.5	1.3	1.2	0.5	1.2	1
etilbenzene	µg/L	50	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
toluene	µg/L	15	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
xileni (miscela isomeri)	µg/L	10	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
monoclorobenzene	µg/L	40	70	70	50	80	70	65	70	75	75	100	90	80	85	90	80	65	85	85	90	75	75	30	70	35
1,2-diclorobenzene	µg/L	270	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,4-diclorobenzene	µg/L	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-triclorobenzene	µg/L	190																								
1,2,4,5-tetraclorobenzene	µg/L	1.8																								
pentaclorobenzene	µg/L	5																								
esaclorobenzene	µg/L	0.01																								
triclorometano	µg/L	0.15	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
tricloroetilene	µg/L	1.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
tetracloroetilene	µg/L	1.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	11	<0.5	<0.5

Analisi eseguita dopo decantazione degli eventuali sedimenti

			P105																	
parametro	u.m.	limiti D.M. 471/99	24/02/11	29/03/11	26/04/11	17/05/11	31/05/11	14/06/11	29/06/11	14/07/11	28/07/11	06/09/11	29/09/11	09/11/11	06/12/11	12/01/12				
arsenico	µg/L	10	< 1	< 1	< 1		1		7		< 1	1	< 1	< 1	< 1	< 1				
nicel	µg/L	20																		
selenio	µg/L	10																		
zinco	µg/L	3000																		
benzene	µg/L	1	0.9	0.9	1		1.1		0.9		1	1.1	1.3	0.9	0.5	< 0.1				
etilbenzene	µg/L	50	< 1	< 1	< 1		< 1		< 1		< 1	< 1	< 1	< 1	< 1	< 1				
toluene	µg/L	15	< 1	< 1	< 1		< 1		< 1		< 1	< 1	< 1	< 1	< 1	< 1				
xileni (miscela isomeri)	µg/L	10	< 1	< 1	< 1		< 1		< 1		< 1	< 1	< 1	< 1	< 1	< 1				
monoclorobenzene	µg/L	40	63	61	53	60	55	57	64	64	68	42	75	69	64	72				
1,2-diclorobenzene	µg/L	270	< 1	< 1	< 1		< 1		< 1		< 1	< 1	< 1	< 1	< 1	< 1				
1,4-diclorobenzene	µg/L	0.5	< 0.5	< 0.5	< 0.5		< 0.5		< 0.5		< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5				
1,2,4-triclorobenzene	µg/L	190																		
1,2,4,5-tetraclorobenzene	µg/L	1.8																		
pentaclorobenzene	µg/L	5																		
esaclorobenzene	µg/L	0.01																		
triclorometano	µg/L	0.15	< 0.1	< 0.1	< 0.1		< 0.1		< 0.1		< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1				
tricloroetilene	µg/L	1.5	< 0.1	< 0.1	< 0.1		< 0.1		< 0.1		< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1				
tetracloroetilene	µg/L	1.1	0.1	0.3	< 0.1		< 0.1		< 0.1		< 0.1	< 0.1	0.2	< 0.1	0.2	< 0.1				

			P105																	
parametro	u.m.	limiti D.M. 471/99																		
arsenico	µg/L	10																		
nicel	µg/L	20																		
selenio	µg/L	10																		
zinco	µg/L	3000																		
benzene	µg/L	1																		
etilbenzene	µg/L	50																		
toluene	µg/L	15																		
xileni (miscela isomeri)	µg/L	10																		
monoclorobenzene	µg/L	40																		
1,2-diclorobenzene	µg/L	270																		
1,4-diclorobenzene	µg/L	0.5																		
1,2,4-triclorobenzene	µg/L	190																		
1,2,4,5-tetraclorobenzene	µg/L	1.8																		
pentaclorobenzene	µg/L	5																		
esaclorobenzene	µg/L	0.01																		
triclorometano	µg/L	0.15																		
tricloroetilene	µg/L	1.5																		
tetracloroetilene	µg/L	1.1																		

Analisi eseguita dopo decantazione degli eventuali sedimenti

			P201																								
parametro	u.m.	limiti D.M. 471/99	02/05/05	31/05/05	15/06/05	30/06/05	15/07/05	01/08/05	17/08/05	12/10/05	20/10/05	14/11/05	01/12/05	20/12/05	23/01/06	23/02/06	30/03/06	27/04/06	15/06/05	31/05/06	29/06/06	18/07/06	01/08/06	30/08/06	29/09/06	31/10/06	
arsenico	µg/L	10	7	10	9	10	10	11	10	9	10	8	9	8	7	5	5	6	7	6	9	7	8	6	5	6	
nicel	µg/L	20	< 10	< 10																							
selenio	µg/L	10	< 5	5																							
zinco	µg/L	3000	< 10	< 10																							
benzene	µg/L	1	1	<0.5	1	2	1	1	1	1	1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	1	<1	<1	<1	
etilbenzene	µg/L	50	< 2	< 1	< 1	< 1	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	
toluene	µg/L	15	< 2	< 1	< 1	< 1	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	
xileni (miscela isomeri)	µg/L	10	< 2	< 1	< 1	< 1	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	
monoclorobenzene	µg/L	40	170	< 5	140	95	135	120	130	70	75	70	80	55	45	35	30	25	25	25	50	45	70	35	40	35	
1,2-diclorobenzene	µg/L	270	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	
1,4-diclorobenzene	µg/L	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
1,2,4-triclorobenzene	µg/L	190	< 1	< 1																							
1,2,4,5-tetraclorobenzene	µg/L	1.8	<0.5	<0.5																							
pentaclorobenzene	µg/L	5	<0.5	<0.5																							
esaclorobenzene	µg/L	0.01	<0.01	< 0.01																							
triclorometano	µg/L	0.15		< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0.2	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0.1	0.1	< 0.1	< 0.1	< 0.1
tricloroetilene	µg/L	1.5	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	
tetracloroetilene	µg/L	1.1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	

			P201																								
parametro	u.m.	limiti D.M. 471/99	29/11/06	09/01/07	27/02/07	29/03/07	02/05/07	30/05/07	28/06/07	26/07/07	30/08/07	02/10/07	30/10/07	04/12/07	10/01/08	27/02/08	27/03/08	29/04/08	29/05/08	01/07/08	24/07/08	28/08/08	30/09/08	28/10/08	03/12/08	08/01/09	
arsenico	µg/L	10	5	11	9	8	6	7	14	8	6	5	7	6	6	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	8	
niche	µg/L	20																									
selenio	µg/L	10																									
zinco	µg/L	3000																									
benzene	µg/L	1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
etilbenzene	µg/L	50	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
toluene	µg/L	15	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
xileni (miscela isomeri)	µg/L	10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
monoclorobenzene	µg/L	40	30	30	30	30	25	40	20	60	35	30	30	30	25	25	25	20	18	28	20	20	20	25	25	22	
1,2-diclorobenzene	µg/L	270	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
1,4-diclorobenzene	µg/L	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
1,2,4-triclorobenzene	µg/L	190																									
1,2,4,5-tetraclorobenzene	µg/L	1.8																									
pentaclorobenzene	µg/L	5																									
esaclorobenzene	µg/L	0.01																									
triclorometano	µg/L	0.15	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
tricloroetilene	µg/L	1.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	0.5	<0.5	<0.5	<0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	<0.5	<0.5	0.5	0.5	0.5	0.5	
tetracloroetilene	µg/L	1.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	

Analisi eseguita dopo decantazione degli eventuali sedimenti

			P201																								
parametro	u.m.	limiti D.M. 471/99	10/02/09	03/03/09	01/04/09	05/05/09	03/06/09	29/06/09	30/07/09	01/09/09	30/09/09	04/11/09	09/12/09	11/01/10	02/02/10	04/03/10	07/04/10	29/04/10	03/06/10	01/07/10	10/08/10	02/09/10	06/10/10	04/11/10	09/12/10	13/01/11	
arsenico	µg/L	10	5	6	5	<5	<5	<5	<5	<5	6	7	7	8	7	8	7	8	8	7	8	8	8	8	8	<1	8
nicel	µg/L	20																									
selenio	µg/L	10																									
zinco	µg/L	3000																									
benzene	µg/L	1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.2	
etilbenzene	µg/L	50	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
toluene	µg/L	15	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
xileni (miscela isomeri)	µg/L	10	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
monoclorobenzene	µg/L	40	20	25	18	20	20	18	25	30	30	20	20	22	20	20	16	16	12	30	22	21	15	14	2	17	
1,2-diclorobenzene	µg/L	270	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
1,4-diclorobenzene	µg/L	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
1,2,4-triclorobenzene	µg/L	190																									
1,2,4,5-tetraclorobenzene	µg/L	1.8																									
pentaclorobenzene	µg/L	5																									
esaclorobenzene	µg/L	0.01																									
triclorometano	µg/L	0.15	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
tricloroetilene	µg/L	1.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	<0.5	0.5	0.5	0.6	0.6	0.5	0.6	0.7	0.7	0.6	0.7	0.6	0.6	0.8	0.9	0.5	0.5	
tetracloroetilene	µg/L	1.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.1	

			P201																							
parametro	u.m.	limiti D.M. 471/99	24/02/11	29/03/11	26/04/11	17/05/11	31/05/11	14/06/11	29/06/11	14/07/11	28/07/11	06/09/11	29/09/11	09/11/11	06/12/11	12/01/12										
arsenico	µg/L	10	7	7	6		6		6		7	8	6	7	7	6										
nicel	µg/L	20																								
selenio	µg/L	10																								
zinco	µg/L	3000																								
benzene	µg/L	1	0.2	0.2	0.2		0.1		0.1		0.1	0.1	0.1	<0.1	<0.1	<0.1										
etilbenzene	µg/L	50	<1	<1	<1		<1		<1		<1	<1	<1	<1	<1	<1										
toluene	µg/L	15	<1	<1	<1		<1		<1		<1	<1	<1	<1	<1	<1										
xileni (miscela isomeri)	µg/L	10	<1	<1	<1		<1		<1		<1	<1	<1	<1	<1	<1										
monoclorobenzene	µg/L	40	18	16	13	15	12	12	12	12	11	15	15	14	13	13										
1,2-diclorobenzene	µg/L	270	<1	<1	<1		<1		<1		<1	<1	<1	<1	<1	<1										
1,4-diclorobenzene	µg/L	0.5	<0.5	<0.5	<0.5		<0.5		<0.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5										
1,2,4-triclorobenzene	µg/L	190																								
1,2,4,5-tetraclorobenzene	µg/L	1.8																								
pentaclorobenzene	µg/L	5																								
esaclorobenzene	µg/L	0.01																								
triclorometano	µg/L	0.15	<0.1	<0.1	<0.1		0.1		0.3		<0.1	<0.1	<0.1	<0.1	<0.1	<0.1										
tricloroetilene	µg/L	1.5	0.6	0.5	0.6		0.7		0.3		0.4	0.4	0.3	0.4	0.2	0.3										
tetracloroetilene	µg/L	1.1	<0.1	<0.1	<0.1		<0.1		<0.1		<0.1	<0.1	<0.1	<0.1	<0.1	<0.1										

Analisi eseguita dopo decantazione degli eventuali sedimenti

			P202																							
parametro	u.m.	limiti D.M. 471/99	31/05/05	15/06/05	30/06/05	15/07/05	01/08/05	17/08/05	12/10/05	20/10/05	14/11/05	01/12/05	20/12/05	23/01/06	02/02/06	23/02/06	30/03/06	27/04/06	15/06/05	31/05/06	15/06/06	29/06/06	18/07/06	01/08/06	30/08/06	29/09/06
arsenico	µg/L	10	25	34	21	14	12	12	10	10	9	8	10	12		9	7	5	5	5	6	10	8	7	5	6
nicel	µg/L	20	< 10																							
selenio	µg/L	10	< 5																							
zinco	µg/L	3000	< 10																							
benzene	µg/L	1	170	3	2	2	175	170	6	3	4	3	5	120	70	3	3	30	3	1	1	1	1	1	1	< 1
etilbenzene	µg/L	50	1	< 1	< 1	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	
toluene	µg/L	15	12	2	2	3	7	8	< 2	< 2	< 2	< 2	< 2	5	3	< 2	< 2	2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	
xileni (miscela isomeri)	µg/L	10	2	< 1	< 1	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	
monoclorobenzene	µg/L	40	5700	330	125	310	7900	7500	530	50	280	200	230	3200	2150	200	170	1050	185	85	80	65	60	75	100	50
1,2-diclorobenzene	µg/L	270	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	
1,4-diclorobenzene	µg/L	0.5	1	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	1	0.5	< 0.5	< 0.5	0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	
1,2,4-triclorobenzene	µg/L	190	< 1	< 1																						
1,2,4,5-tetraclorobenzene	µg/L	1.8	< 0.5	< 0.5																						
pentaclorobenzene	µg/L	5	< 0.5	< 0.5																						
esaclorobenzene	µg/L	0.01	< 0.01	< 0.01																						
triclorometano	µg/L	0.15	0.1	< 0.1	< 0.1	0.2	0.2	0.1	0.1	0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0.1	< 0.1	< 0.1	< 0.1
tricloroetilene	µg/L	1.5	< 1	< 1	< 1	< 1	1	< 1	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	
tetracloroetilene	µg/L	1.1	< 1	< 1	< 1	< 1	< 1	< 1	< 2	< 0.5	< 0.5	< 0.5	0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	
			P202																							
parametro	u.m.	limiti D.M. 471/99	31/10/06	29/11/06	09/01/07	27/02/07	29/03/07	02/05/07	30/05/07	28/06/07	26/07/07	30/08/07	02/10/07	30/10/07	04/12/07	10/01/08	27/02/08	27/03/08	29/04/08	29/05/08	01/07/08	24/07/08	28/08/08	30/09/08	28/10/08	03/12/08
arsenico	µg/L	10	7	6	6	5	8	8	7	5	5	< 5	< 5	5	8	10	8	6	6	5	6	5	8	6	7	9
nicel	µg/L	20																								
selenio	µg/L	10																								
zinco	µg/L	3000																								
benzene	µg/L	1	< 1	1	< 1	2	1500	6	10	7	1	< 1	8	5	45	30	32	1	< 0.5	< 0.5	3.5	2.5	15	16	7	55
etilbenzene	µg/L	50	< 2	< 2	< 2	< 2	90	< 2	< 2	< 2	< 2	< 2	< 2	< 2	2	3	3	< 1	< 1	< 1	< 1	< 1	< 1	< 1	2	
toluene	µg/L	15	< 2	< 2	< 2	< 2	120	< 2	< 2	< 2	< 2	< 2	< 2	< 2	5	5	3	< 1	< 1	< 1	< 1	< 1	10	2	< 1	5
xileni (miscela isomeri)	µg/L	10	< 2	< 2	< 2	< 2	60	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	2	2	< 1	< 1	< 1	< 1	< 1	1	2	< 1	3
monoclorobenzene	µg/L	40	60	90	90	170	142000	700	1100	620	170	90	950	630	2500	3200	700	170	100	55	200	250	2150	1800	520	5700
1,2-diclorobenzene	µg/L	270	< 1	< 1	< 1	< 1	60	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	
1,4-diclorobenzene	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5	10	0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	2	2	2	< 0.5	0.5	< 0.5	< 0.5	< 0.5	1	1	< 0.5	< 0.5
1,2,4-triclorobenzene	µg/L	190																								
1,2,4,5-tetraclorobenzene	µg/L	1.8																								
pentaclorobenzene	µg/L	5																								
esaclorobenzene	µg/L	0.01																								
triclorometano	µg/L	0.15	< 0.1	0.1	< 0.1	< 0.1	0.1	0.8	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0.1	< 0.1	< 0.1	< 0.1	
tricloroetilene	µg/L	1.5	< 0.5	0.5	< 0.5	< 0.5	1.5	< 0.5	< 0.5	0.5	< 0.5	< 0.5	< 0.5	< 0.5	0.5	0.5	0.5	< 0.5	0.5	0.5	0.5	< 0.5	< 0.5	< 0.5	< 0.5	
tetracloroetilene	µg/L	1.1	0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	

Analisi eseguita dopo decantazione degli eventuali sedimenti

			P202																							
parametro	u.m.	limiti D.M. 471/99	08/01/09	10/02/09	03/03/09	01/04/09	05/05/09	03/06/09	29/06/09	30/07/09	01/09/09	30/09/09	04/11/09	09/12/09	11/01/10	02/02/10	04/03/10	07/04/10	29/04/10	03/06/10	01/07/10	10/08/10	02/09/10	06/10/10	04/11/10	09/12/10
arsenico	µg/L	10	8	6	6	7	6	8	6	5	<5	7	7	6	8	8	8	8	9	9	7	7	8	8	8	7
nicel	µg/L	20																								
selenio	µg/L	10																								
zinco	µg/L	3000																								
benzene	µg/L	1	10	5	4	8	8	15	10	17	5	11	6	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	<0.5	0.5	<0.5	<0.5	<0.5
etilbenzene	µg/L	50	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
toluene	µg/L	15	<1	<1	<1	<1	<1	<1	<1	1	<1	1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
xileni (miscela isomeri)	µg/L	10	<1	<1	<1	<1	<1	<1	1	1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
monoclorobenzene	µg/L	40	1100	370	470	650	680	1230	1200	1800	420	1000	520	50	30	22	20	18	20	45	27	16	21	12	10	16
1,2-diclorobenzene	µg/L	270	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,4-diclorobenzene	µg/L	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-triclorobenzene	µg/L	190																								
1,2,4,5-tetraclorobenzene	µg/L	1.8																								
pentaclorobenzene	µg/L	5																								
esaclorobenzene	µg/L	0.01																								
triclorometano	µg/L	0.15	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	15	0.1	1.1	0.1	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
tricloroetilene	µg/L	1.5	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	0.5	<0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.6	0.6	<0.5
tetracloroetilene	µg/L	1.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

			P202																							
parametro	u.m.	limiti D.M. 471/99	13/01/11	24/02/11	29/03/11	26/04/11	31/05/11	29/06/11	28/07/11	06/09/11	29/09/11	09/11/11	06/12/11	12/01/12												
arsenico	µg/L	10	8	8	7	7	8	8	8	9	7	8	8	7												
nicel	µg/L	20																								
selenio	µg/L	10																								
zinco	µg/L	3000																								
benzene	µg/L	1	0.2	0.1	0.3	0.2	1.3	0.9	2.5	0.4	0.3	0.7	0.2	<0.1												
etilbenzene	µg/L	50	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1												
toluene	µg/L	15	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1												
xileni (miscela isomeri)	µg/L	10	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1												
monoclorobenzene	µg/L	40	14	14	18	13	97	82	225	40	24	88	48	24												
1,2-diclorobenzene	µg/L	270	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1												
1,4-diclorobenzene	µg/L	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5												
1,2,4-triclorobenzene	µg/L	190																								
1,2,4,5-tetraclorobenzene	µg/L	1.8																								
pentaclorobenzene	µg/L	5																								
esaclorobenzene	µg/L	0.01																								
triclorometano	µg/L	0.15	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1												
tricloroetilene	µg/L	1.5	0.3	0.4	0.4	0.4	0.5	0.3	0.3	0.3	0.3	0.4	0.2	0.2												
tetracloroetilene	µg/L	1.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1												

Analisi eseguita dopo decantazione degli eventuali sedimenti

			P203																								
parametro	u.m.	limiti D.M. 471/99	20/05/05	31/05/05	15/06/05	30/06/05	15/07/05	01/08/05	17/08/05	12/10/05	20/10/05	14/11/05	01/12/05	20/12/05	23/01/06	23/02/06	30/03/06	27/04/06	15/06/05	31/05/06	15/06/06	29/06/06	18/07/06	01/08/06	30/08/06	29/09/06	
arsenico	µg/L	10	15	24	12	11	10	10	9	9	10	8	7	9	8	6	5	5	5	<5	<5	8	7	5	6	7	
nicel	µg/L	20	< 10	< 10																							
selenio	µg/L	10	< 5	< 5																							
zinco	µg/L	3000	< 10	< 10																							
benzene	µg/L	1	<1	1	<1	<1	<1	<1	1	3	6	5	4	3	4	3	2	1	2	1	1	1	1	2	1	1	
etilbenzene	µg/L	50	<2	<1	<1	<1	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	
toluene	µg/L	15	<2	<1	<1	<1	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	
xileni (miscela isomeri)	µg/L	10	<2	<1	<1	<1	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	
monoclorobenzene	µg/L	40	38	520	35	24	<5	<5	60	400	460	340	330	250	240	160	140	120	115	100	100	80	80	105	75	80	
1,2-diclorobenzene	µg/L	270	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
1,4-diclorobenzene	µg/L	0.5	<0.5	<0.5	<0.5	<0.5			<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
1,2,4-triclorobenzene	µg/L	190	<1	<1																							
1,2,4,5-tetraclorobenzene	µg/L	1.8	<0.5	<0.5																							
pentaclorobenzene	µg/L	5	<0.5	<0.5																							
esaclorobenzene	µg/L	0.01	<0.01	<0.01																							
triclorometano	µg/L	0.15	2	5	1	1	0.1	0.1	0.2	<0.1	0.6	0.4	0.1	<0.1	<0.1	<0.1	0.1	0.3	0.1	<0.1	<0.1	<0.1	0.2	0.2	0.1	<0.1	
tricloroetilene	µg/L	1.5	<1	<1	<1	<1	<1	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
tetracloroetilene	µg/L	1.1	<1	<1	<1	<1	<1	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	

			P203																								
parametro	u.m.	limiti D.M. 471/99	31/10/06	29/11/06	09/01/07	27/02/07	29/03/07	02/05/07	30/05/07	28/06/07	26/07/07	30/08/07	02/10/07	30/10/07	04/12/07	10/01/08	27/02/08	27/03/08	29/04/08	29/05/08	01/07/08	24/07/08	28/08/08	30/09/08	28/10/08	03/12/08	
arsenico	µg/L	10	5	5	11	8	7	5	5	5	<5	<5	<5	<5	<5	10	7	7	6	6	5	6	5	5	<5	<5	
niche	µg/L	20																									
selenio	µg/L	10																									
zinco	µg/L	3000																									
benzene	µg/L	1	1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
etilbenzene	µg/L	50	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
toluene	µg/L	15	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
xileni (miscela isomeri)	µg/L	10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
monoclorobenzene	µg/L	40	80	65	55	50	70	45	45	50	45	35	35	45	45	40	45	30	30	30	27	27	25	25	26	30	
1,2-diclorobenzene	µg/L	270	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
1,4-diclorobenzene	µg/L	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
1,2,4-triclorobenzene	µg/L	190																									
1,2,4,5-tetraclorobenzene	µg/L	1.8																									
pentaclorobenzene	µg/L	5																									
esaclorobenzene	µg/L	0.01																									
triclorometano	µg/L	0.15	0.1	<0.1	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	
tricloroetilene	µg/L	1.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
tetracloroetilene	µg/L	1.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	

Analisi eseguita dopo decantazione degli eventuali sedimenti

[illegible]

Analisi eseguita dopo decantazione degli eventuali sedimenti



			P204																							
parametro	u.m.	limiti D.M. 471/99	15/06/05	30/06/05	15/07/05	01/08/05	17/08/05	12/10/05	20/10/05	14/11/05	01/12/05	20/12/05	23/01/06	23/02/06	30/03/06	27/04/06	15/06/05	31/05/06	29/06/06	01/08/06	30/08/06	29/09/06	31/10/06	29/11/06	09/01/07	27/02/07
arsenico	µg/L	10	11	5	6	5	< 5	< 5	5	5	6	5	8	5	6	7		5	23	16	10	12	15	9	10	7
nicel	µg/L	20	< 10																							
selenio	µg/L	10	< 5																							
zinco	µg/L	3000	< 10																							
benzene	µg/L	1	<0.5	< 0.5	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	
etilbenzene	µg/L	50	< 1	< 1	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	
toluene	µg/L	15	< 1	< 1	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	
xileni (miscela isomeri)	µg/L	10	< 1	< 1	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	
monoclorobenzene	µg/L	40	32	10	7	5	< 5	< 5	120	10	5	5	5	< 5	< 5	< 5	< 5	< 5	10	10	10	30	15	10	5	5
1,2-diclorobenzene	µg/L	270	1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	
1,4-diclorobenzene	µg/L	0.5	<0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	
1,2,4-triclorobenzene	µg/L	190	< 1																							
1,2,4,5-tetraclorobenzene	µg/L	1.8	<0.5																							
pentaclorobenzene	µg/L	5	<0.5																							
esaclorobenzene	µg/L	0.01	<0.01																							
triclorometano	µg/L	0.15	0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0.1	< 0.1	< 0.1	< 0.1	
tricloroetilene	µg/L	1.5	< 1	< 1	< 1	< 1	< 1	< 1	0.8	< 0.1	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	
tetracloroetilene	µg/L	1.1	< 1	< 1	< 1	< 1	< 1	< 1	0.6	< 0.1	0.5	0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	1	< 0.5	< 0.5	< 0.5	< 0.5	

			P204																							
parametro	u.m.	limiti D.M. 471/99	29/03/07	02/05/07	30/05/07	28/06/07	26/07/07	30/08/07	02/10/07	30/10/07	04/12/07	10/01/08	27/02/08	27/03/08	29/04/08	29/05/08	01/07/08	24/07/08	28/08/08	30/09/08	28/10/08	03/12/08	08/01/09	10/02/09	03/03/09	01/04/09
arsenico	µg/L	10	6	6	10	11	7	14	10	8	7	8	6	5	6	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
niche	µg/L	20																								
selenio	µg/L	10																								
zinco	µg/L	3000																								
benzene	µg/L	1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
etilbenzene	µg/L	50	<2	<2	<2	<2	<2	<2	<2	<2	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
toluene	µg/L	15	<2	<2	<2	<2	<2	<2	<2	<2	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
xileni (miscela isomeri)	µg/L	10	<2	<2	<2	<2	<2	<2	<2	<2	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
monoclorobenzene	µg/L	40	10	5	<5	5	5	5	10	5	5	5	5	5	3	3	3	3	5	6	7	8	3	3	4	3
1,2-diclorobenzene	µg/L	270	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,4-diclorobenzene	µg/L	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
1,2,4-triclorobenzene	µg/L	190																								
1,2,4,5-tetraclorobenzene	µg/L	1.8																								
pentaclorobenzene	µg/L	5																								
esaclorobenzene	µg/L	0.01																								
triclorometano	µg/L	0.15	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
tricloroetilene	µg/L	1.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
tetracloroetilene	µg/L	1.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Analisi eseguita dopo decantazione degli eventuali sedimenti

			P204																							
parametro	u.m.	limiti D.M. 471/99	05/05/09	03/06/09	29/06/09	30/07/09	01/09/09	30/09/09	04/11/09	09/12/09	11/01/10	02/02/10	04/03/10	07/04/10	29/04/10	03/06/10	01/07/10	10/08/10	02/09/10	06/10/10	04/11/10	09/12/10	13/01/11	24/02/11	29/03/11	26/04/11
arsenico	µg/L	10	< 5	< 5	< 5	< 5	< 5	5	7	7	8	7	7	7	6	6	7	13	14	7	7	6	< 1	6	5	5
nicel	µg/L	20																								
selenio	µg/L	10																								
zinco	µg/L	3000																								
benzene	µg/L	1	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.1	< 0.1	< 0.1	< 0.1
etilbenzene	µg/L	50	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
toluene	µg/L	15	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
xileni (miscela isomeri)	µg/L	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	2	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
monoclorobenzene	µg/L	40	3	2	2	4	4	8	5	3	3	2	2	2	3	< 2	2	< 2	< 2	2	3	2	< 2	< 2	2	2
1,2-diclorobenzene	µg/L	270	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	
1,4-diclorobenzene	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	
1,2,4-triclorobenzene	µg/L	190																								
1,2,4,5-tetraclorobenzene	µg/L	1.8																								
pentaclorobenzene	µg/L	5																								
esaclorobenzene	µg/L	0.01																								
triclorometano	µg/L	0.15	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
tricloroetilene	µg/L	1.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0.5	0.6	< 0.5	0.2	0.2	0.3	0.4
tetracloroetilene	µg/L	1.1	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	10	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.1	< 0.1	0.7	< 0.1

			P204																							
parametro	u.m.	limiti D.M. 471/99	31/05/11	29/06/11	28/07/11	06/09/11	29/09/11	09/11/11	06/12/11	12/01/12																
arsenico	µg/L	10	4	4	5	9	5	5	6	4																
nicel	µg/L	20																								
selenio	µg/L	10																								
zinco	µg/L	3000																								
benzene	µg/L	1	< 0.1	< 0.1	< 0.1	< 0.1	0.2	< 0.1	< 0.1	< 0.1																
etilbenzene	µg/L	50	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1																
toluene	µg/L	15	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1																
xileni (miscela isomeri)	µg/L	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1																
monoclorobenzene	µg/L	40	2	< 2	2	2	46	5	< 2	2																
1,2-diclorobenzene	µg/L	270	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1																
1,4-diclorobenzene	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5																
1,2,4-triclorobenzene	µg/L	190																								
1,2,4,5-tetraclorobenzene	µg/L	1.8																								
pentaclorobenzene	µg/L	5																								
esaclorobenzene	µg/L	0.01																								
triclorometano	µg/L	0.15	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1																
tricloroetilene	µg/L	1.5	0.6	0.3	0.3	0.2	0.3	0.6	0.2	0.3																
tetracloroetilene	µg/L	1.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1																

Analisi eseguita dopo decantazione degli eventuali sedimenti

			P205																								
parametro	u.m.	limiti D.M. 471/99	01/03/06	30/03/06	27/04/06	15/06/05	31/05/06	15/06/06	29/06/06	18/07/06	01/08/06	30/08/06	29/09/06	31/10/06	29/11/06	09/01/07	02/02/07	27/02/07	29/03/07	02/05/07	30/05/07	28/06/07	26/07/07	30/08/07	02/10/07	30/10/07	
arsenico	µg/L	10	1	<5	< 5	5	5	5	7	5	6	5	< 5	7	5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	5	5
nicel	µg/L	20																									
selenio	µg/L	10																									
zinco	µg/L	3000																									
benzene	µg/L	1	1.8	1	2	1	2	1	1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
etilbenzene	µg/L	50	0.7	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	
toluene	µg/L	15	<0.1	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	
xileni (miscela isomeri)	µg/L	10	0.4	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	
monoclorobenzene	µg/L	40	170	135	130	20	110	125	75	55	20	40	25	30	25	45	35	30	35	20	25	35	25	20	20	35	
1,2-diclorobenzene	µg/L	270	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	
1,4-diclorobenzene	µg/L	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
1,2,4-triclorobenzene	µg/L	190																									
1,2,4,5-tetraclorobenzene	µg/L	1.8																									
pentaclorobenzene	µg/L	5																									
esaclorobenzene	µg/L	0.01																									
triclorometano	µg/L	0.15		<0.1	<0.1	<0.1	<0.1	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.2	<0.1	<0.1	<0.1	<0.1	<0.1	
tricloroetilene	µg/L	1.5		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
tetracloroetilene	µg/L	1.1		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.5	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	

			P205																								
parametro	u.m.	limiti D.M. 471/99	04/12/07	10/01/08	27/02/08	27/03/08	29/04/08	29/05/08	01/07/08	24/07/08	28/08/08	30/09/08	28/10/08	03/12/08	08/01/09	10/02/09	03/03/09	01/04/09	05/05/09	03/06/09	29/06/09	30/07/09	01/09/09	30/09/09	04/11/09	09/12/09	
arsenico	µg/L	10	5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	6	8	7	
niche	µg/L	20																									
selenio	µg/L	10																									
zinco	µg/L	3000																									
benzene	µg/L	1	1	1	1	1	0.8	1.2	1	1	0.8	0.8	0.8	1	1	0.5	0.6	0.6	0.7	0.6	0.6	0.5	0.5	0.7	0.6		
etilbenzene	µg/L	50	< 2	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1		
toluene	µg/L	15	< 2	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1		
xileni (miscela isomeri)	µg/L	10	< 2	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1		
monoclorobenzene	µg/L	40	60	60	75	70	85	85	75	75	80	75	70	75	80	90	50	65	75	75	55	70	45	45	50	50	
1,2-diclorobenzene	µg/L	270	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1		
1,4-diclorobenzene	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5		
1,2,4-triclorobenzene	µg/L	190																									
1,2,4,5-tetraclorobenzene	µg/L	1.8																									
pentaclorobenzene	µg/L	5																									
esaclorobenzene	µg/L	0.01																									
triclorometano	µg/L	0.15	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1		
tricloroetilene	µg/L	1.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5		
tetracloroetilene	µg/L	1.1	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5		

Analisi eseguita dopo decantazione degli eventuali sedimenti



			P 301																							
parametro	u.m.	limiti D.M. 471/99	15/06/05	30/06/05	15/07/05	01/08/05	12/10/05	20/10/05	14/11/05	01/12/05	20/12/05	23/01/06	23/02/06	30/03/06	27/04/06	31/05/06	29/06/06	01/08/06	30/08/06	29/09/06	31/10/06	29/11/06	09/01/07	27/02/07	29/03/07	02/05/07
arsenico	µg/L	10	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	6	5	5	5
nicel	µg/L	20	< 10																							
selenio	µg/L	10	< 5																							
zinco	µg/L	3000	< 10																							
benzene	µg/L	1	<0.5	< 0.5	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
etilbenzene	µg/L	50	< 1	< 1	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
toluene	µg/L	15	< 1	< 1	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
xileni (miscela isomeri)	µg/L	10	< 1	< 1	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
monoclorobenzene	µg/L	40	< 5	< 5	< 5	< 5	< 5	< 5	7	< 5	< 5	15	10	5	50	20	10	15	5	< 5	< 5	< 5	< 5	< 5	5	< 5
1,2-diclorobenzene	µg/L	270	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,4-diclorobenzene	µg/L	0.5	<0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2,4-triclorobenzene	µg/L	190	< 1																							
1,2,4,5-tetraclorobenzene	µg/L	1.8	<0.5																							
pentaclorobenzene	µg/L	5	<0.5																							
esaclorobenzene	µg/L	0.01	<0.01																							
triclorometano	µg/L	0.15	0.4	0.4	0.1	0.2	0.1	0.3	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0.2	0.2	< 0.1	0.1	0.15	0.1	< 0.1	0.4	1.1
tricloroetilene	µg/L	1.5	1	1	1	1	1	0.7	< 0.5	1	1	< 0.5	1	0.5	0.5	0.5	1	0.5	1	1	1.5	2	1.5	1	1.5	1
tetracloroetilene	µg/L	1.1	2	1	< 1	1	2	0.6	< 0.5	4	2	2	1	1	< 0.5	< 0.5	1	1	3	2	3	3	1.5	1.5	2	2

			P 301																							
parametro	u.m.	limiti D.M. 471/99	30/05/07	28/06/07	26/07/07	30/08/07	02/10/07	30/10/07	04/12/07	10/01/08	27/02/08	27/03/08	29/04/08	29/05/08	01/07/08	24/07/08	28/08/08	30/09/08	28/10/08	03/12/08	08/01/09	10/02/09	03/03/09	01/04/09	05/05/09	03/06/09
arsenico	µg/L	10	6	5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5
nicel	µg/L	20																								
selenio	µg/L	10																								
zinco	µg/L	3000																								
benzene	µg/L	1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
etilbenzene	µg/L	50	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
toluene	µg/L	15	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
xileni (miscela isomeri)	µg/L	10	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
monoclorobenzene	µg/L	40	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 2	< 2	< 2	< 2	2	< 2	5	6	4	< 2	< 2	< 2	< 2	< 2	< 2
1,2-diclorobenzene	µg/L	270	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,4-diclorobenzene	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2,4-triclorobenzene	µg/L	190																								
1,2,4,5-tetraclorobenzene	µg/L	1.8																								
pentaclorobenzene	µg/L	5																								
esaclorobenzene	µg/L	0.01																								
triclorometano	µg/L	0.15	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0.1	0.1	0.2	0.1	< 0.1	< 0.1	0.3	0.1	< 0.1	< 0.1	0.1	< 0.1	0.1	0.1	0.1	< 0.1	< 0.1	< 0.1
tricloroetilene	µg/L	1.5	1	1	1	0.5	1	1	1	1	1	1	1	1	0.5	0.5	0.5	1	1	1	1	1.5	1	0.8	0.5	0.8
tetracloroetilene	µg/L	1.1	2	1.5	2	1.5	2	2	2	2.5	3	3	3	2	2	2.5	3	3	3	4	3	2.5	2.5	2.5	2	3

Analisi eseguita dopo decantazione degli eventuali sedimenti

			P 301																							
parametro	u.m.	limiti D.M. 471/99	29/06/09	30/07/09	01/09/09	30/09/09	04/11/09	09/12/09	11/01/10	02/02/10	04/03/10	07/04/10	29/04/10	03/06/10	01/07/10	10/08/10	02/09/10	06/10/10	04/11/10	09/12/10	13/01/11	24/02/11	29/03/11	26/04/11	31/05/11	29/06/11
arsenico	µg/L	10	< 5	< 5	< 5	< 5	< 5	< 5	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
nicel	µg/L	20																								
selenio	µg/L	10																								
zinco	µg/L	3000																								
benzene	µg/L	1	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
etilbenzene	µg/L	50	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
toluene	µg/L	15	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
xileni (miscela isomeri)	µg/L	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
monoclorobenzene	µg/L	40	< 2	< 2	< 2	2	< 2	< 2	< 2	< 2	< 2	< 2	2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
1,2-diclorobenzene	µg/L	270	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,4-diclorobenzene	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2,4-triclorobenzene	µg/L	190																								
1,2,4,5-tetraclorobenzene	µg/L	1.8																								
pentaclorobenzene	µg/L	5																								
esaclorobenzene	µg/L	0.01																								
triclorometano	µg/L	0.15	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0.1	0.1	0.1	0.4	1	< 0.1	0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0.1	< 0.1	< 0.1	< 0.1
tricloroetilene	µg/L	1.5	1	1	1	1	1	1	1	0.8	1	1	1	0.8	1.1	1	0.9	1.4	1.1	0.6	0.7	0.8	0.7	1	1.2	0.8
tetracloroetilene	µg/L	1.1	3	3.5	3	3.5	4	3.5	11	3	3.3	2.8	2.8	2.5	3	2.8	3	3.5	3.5	3.5	3.3	3.2	2.7	3	2.6	2.5

			P 301																						
parametro	u.m.	limiti D.M. 471/99	28/07/11	06/09/11	29/09/11	09/11/11	06/12/11	12/01/12																	
arsenico	µg/L	10	< 1	1	< 1	< 1	< 1	< 1																	
nicel	µg/L	20																							
selenio	µg/L	10																							
zinco	µg/L	3000																							
benzene	µg/L	1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1																	
etilbenzene	µg/L	50	< 1	< 1	< 1	< 1	< 1	< 1																	
toluene	µg/L	15	< 1	< 1	< 1	< 1	< 1	< 1																	
xileni (miscela isomeri)	µg/L	10	< 1	< 1	< 1	< 1	< 1	< 1																	
monoclorobenzene	µg/L	40	< 2	< 2	8	< 2	< 2	< 2																	
1,2-diclorobenzene	µg/L	270	< 1	< 1	< 1	< 1	< 1	< 1																	
1,4-diclorobenzene	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5																	
1,2,4-triclorobenzene	µg/L	190																							
1,2,4,5-tetraclorobenzene	µg/L	1.8																							
pentaclorobenzene	µg/L	5																							
esaclorobenzene	µg/L	0.01																							
triclorometano	µg/L	0.15	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1																	
tricloroetilene	µg/L	1.5	0.6	0.8	0.7	1	0.5	0.5																	
tetracloroetilene	µg/L	1.1	2.6	2.7	2.9	2.9	2.8	2.6																	

Analisi eseguita dopo decantazione degli eventuali sedimenti

			P 302																							
parametro	u.m.	limiti D.M. 471/99	29/05/08	01/07/08	24/07/08	28/08/08	30/09/08	28/10/08	03/12/08	08/01/09	10/02/09	03/03/09	01/04/09	05/05/09	03/06/09	29/06/09	30/07/09	01/09/09	30/09/09	04/11/09	09/12/09	11/01/10	04/11/10	24/02/11	29/03/11	26/04/11
arsenico	µg/L	10	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 1	2	< 1	< 1	< 1
nicel	µg/L	20																								
selenio	µg/L	10																								
zinco	µg/L	3000																								
benzene	µg/L	1	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.1	< 0.1	< 0.1
etilbenzene	µg/L	50	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
toluene	µg/L	15	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
xileni (miscela isomeri)	µg/L	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
monoclorobenzene	µg/L	40	2	2	3	< 2	2	3	2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
1,2-diclorobenzene	µg/L	270	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
1,4-diclorobenzene	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2,4-triclorobenzene	µg/L	190																								
1,2,4,5-tetraclorobenzene	µg/L	1.8																								
pentaclorobenzene	µg/L	5																								
esaclorobenzene	µg/L	0.01																								
triclorometano	µg/L	0.15	1.3	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0.1	0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1
tricloroetilene	µg/L	1.5	1.5	1.5	1	0.5	1	1	1	0.8	1	0.8	0.8	0.6	0.7	0.8	0.8	0.8	1	1	0.7	0.7	< 0.5	0.3	0.3	0.5
tetracloroetilene	µg/L	1.1	1	2	2	2.5	2.5	2.5	3	2	2	1.5	2	2	2	2.5	3	2.5	3	3	2.5	9	< 0.5	1.6	1.4	1.4

			P 302																								
parametro	u.m.	limiti D.M. 471/99	31/05/11	29/06/11	28/07/11	06/09/11	29/09/11	09/11/11	06/12/11	12/01/12																	
arsenico	µg/L	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1																	
nicel	µg/L	20																									
selenio	µg/L	10																									
zinco	µg/L	3000																									
benzene	µg/L	1	< 0.1	< 0,1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1																	
etilbenzene	µg/L	50	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1																	
toluene	µg/L	15	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1																	
xileni (miscela isomeri)	µg/L	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1																	
monoclorobenzene	µg/L	40	< 2	< 2	3	< 2	16	< 2	< 2	< 2																	
1,2-diclorobenzene	µg/L	270	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1																	
1,4-diclorobenzene	µg/L	0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5																	
1,2,4-triclorobenzene	µg/L	190																									
1,2,4,5-tetraclorobenzene	µg/L	1.8																									
pentaclorobenzene	µg/L	5																									
esaclorobenzene	µg/L	0.01																									
triclorometano	µg/L	0.15	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1																	
tricloroetilene	µg/L	1.5	1.1	0.8	0.6	0.3	0.2	1	0.5	0.5																	
tetracloroetilene	µg/L	1.1	2.6	2.5	2.6	1.2	1.2	2.8	3	2.4																	

Analisi eseguita dopo decantazione degli eventuali sedimenti





